

303 1.00

Work Order ID 73546

Friday, September 02, 2011 8:55:19 AM



Item ID: D4151-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Fwd Basket Instl Stud

Start Date: 9/2/2011 Start Qty: 8.00



Cust Item ID:

Required Date: 9/9/2011 Req'd Qty: 8.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4151

C

110

0.00



Doosan

Memo

0.00

Doosan Lathe

1-Mill as per folio FA953 & dwg.

FOLIO REV: C

DWG REV: 10925

~~2-GRIND 13" RAY MANUALLY~~

3-Deburr as required

120

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

10925

10925

8 6

8 6

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 73546

Friday, September 02, 2011 8:55:19 AM



Page 2

Item ID: D4151-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Fwd Basket Instl Stud

Start Date: 9/2/2011 Start Qty: 8.00



Cust Item ID:

Required Date: 9/9/2011 Req'd Qty: 8.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC8- Inspect parts - second check

0.00

SL 11-09-28



QC

Memo

0.00

Quality Control

140

Identify as per dwg & Stock Location: 134

0.00



Packaging

Memo

0.00

Packaging

11/9/29 JF

150

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/10/3 JF
MF
11-09-29

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Friday, September 02, 2011 8:55:17 AM

Page 1

Work Order ID: 73546

Parent Item: D4151-5

Parent Item Name: Fwd Basket Instl Stud



Start Date: 9/2/2011

Required Date: 9/9/2011

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP REV:A NEW ISSUE 10-07-22 JLM VERIFIED BY:DD IPP Rev:B
11.01.21 as per dwg revC DD verf:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303R1.000		Purchased		No		110	f	33.8490	267	2.105263			



303 Round Bar 1.00

Location

Loc Qty

Loc Code

MAT028

33.849

116700

1.107

117550

6.21

117598

13.74

118008

12.792



267

11/9/25

222 RT


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4151-043 BASKET FWD HARDPOINT ASSY (UPPER)



D4151-041 BASKET FWD HARDPOINT ASSY (LOWER)

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D4151-041	BASKET FWD HARDPOINT ASSY (LOWER)
		X	D4151-043	BASKET FWD HARDPOINT ASSY (UPPER)
1	2		D4151-1	LOWER HARDPOINT PLATE
2		2	D4151-3	UPPER HARDPOINT PLATE
3	1		D4151-5	FWD BASKET INSTL STUD (LOWER)
4		1	D4151-7	FWD EYEBOLT RECEIVER (UPPER)
5	2	2	AN4C13A	BOLT
6	2	2	MS21043-4	NUT
7	4	4	NAS1149C0432R	WASHER

RELEASED
2011-01-08

W/073546

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4151-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
 - D4151-041 = 0.88 lbs
 - D4151-043 = 1.17 lbs

C	AN4 HARDWARE WAS AN3 (B6-1, C3-1 & D3-1); Ø0.252 WAS Ø0.191 (C5-2, D1-2); TIGHTENED TOL ON 1.000 DIM (C5-2, D1-2, C7-3, C3-3); Ø0.250 WAS Ø0.191 (C8-3, B4-3); 1.83 WAS 1.75 (C1-2), 2.84 WAS 2.78 (B3-3) AND 1.88 WAS 1.80 (C1-3) TO PRESERVE 1.5ED. REASON: SEE D407-797 DESIGN JOURNAL.	MB	10.12.14
B	ADDED D4151-5/-7 (SHT 3); D4151-5 WAS D3911-1 (ZN B6-1 & D3-1); D4151-7 WAS D3911-3 (ZN C4-1 & D3-1) ITEMS #5, 6 & 7 REPLACE MS20815-4M20 (ZN C3-1, D3-1 & B8-1); Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN C5-2); Ø0.191 2 PL REPLACES Ø0.129 4 PL (ZN D1-2). REASON: SEE TR-0350-807-2 REV. B.	MB	10.07.05
A	NEW ISSUE	MB	10.06.22
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED	SC		
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.12.14		


DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4151** REV. C
SHEET 1 OF 3
TITLE **BASKET FWD HARDPOINT** SCALE NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL. IT IS TO BE KEPT UNDER THE CLOSEST CONTROL THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



D4151-1 LOWER HARDPOINT PLATE





D4151-3 UPPER HARDPOINT PLATE

RELEASED
2011-01-18
JMD


1) MATERIAL: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S11GA OR M303S11GA

- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT:
 - D4151-1 = 0.24 lbs
 - D4151-3 = 0.23 lbs


DESIGN			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			DRAWING NO.	REV. C
CHECKED	SC		D4151	SHEET 2 OF 3
MFG. APPR.	MD		TITLE	SCALE
APPROVED	AM		BASKET FWD HARDPOINT	NTS
DE APPR.	SW			
DATE	10.12.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRINTED BY THE CUSTOMER'S QUALIFICATION DEPARTMENT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED FOR ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.		



D4151-5 FWD BASKET INSTL STUD (LOWER)



D4151-7 FWD EYEBOLT RECEIVER (UPPER)



SECTION A-A

- NOTES:
- 1) MATERIAL -5: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
PER DART SPEC M303R OR M304P
-7: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276 OR ASTM A582
PER DART SPEC M303B OR M304B
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
 - 7) WEIGHT -5: 0.36 lbs
-7: 0.70 lbs

73546

DESIGN	<i>JS</i>	DART AEROSPACE LTD	
DRAWN	<i>JS</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>SC</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>JS</i>	D4151	SHEET 3 OF 3
APPROVED	<i>JS</i>	TITLE	SCALE
DE APPR.	<i>JS</i>	BASKET FWD HARDPOINT	NTS
DATE	10.12.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR CONVEYED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
2011-01-10
RELEASED